

# EXTEND YOUR NETWORK

Designed for fixed locations that require higher performance 5G network coverage.

Scalability, comprehensive remote management software and security



## IP67 Industrial Construction



IP67  
Certified




## Dual SIM Support


SIM 1  
4FF



SIM 2  
4FF



## Remote Management



## HIGHLIGHTS

5G NR C-Band / Cat 19 4G-LTE

High Data Speed - 4.67Gbps DL / 1.25Gbps UL

OMNI Directional Antenna System

Dual SIM

4X4 MIMO

LED Indicator

2.5GbE Port - Passive PoE

ATRACS Remote Management

**ATRACS**<sup>™</sup>



Scan here to watch product video

# PW550 SPECIFICATIONS

## 5G Outdoor CPE Adapter

STANDARD COMPLIANT	
3GPP Release	Release 15
LTE UE Category	Cat 19

BASIC FEATURES	
Data Speed	5G NSA : 3.74Gbps (DL) / 875Mbps (UL) 5G SA : 4.67Gbps (DL) / 1.25Gbps (UL) LTE: 1.6Gbps (DL) / 211Mbps (UL)
Bandwidth	5G: 5MHz to 200MHz LTE: 1.4MHz to 100 MHz
Carrier Aggregation	5G: 2CC (DL & UL) LTE: 5CC (DL) / 2CC(UL)
USIM	Dual,4FF
5G MIMO	4x4: n2/n7/n25/n30/n41/n48/n66/n77 /n78 2x2: n5/n12/n14/n71
LTE MIMO	4x4: B2/B4/B7/B25/B30/B41/B48/B66 2x2: B5/B12/B13/B14/B17/B26/B29/B46 /B71
Bluetooth <small>Optional</small>	For mobile APP
Water and Dust Resistance Rating	IP67 Protection Rating
Interface	1x 2.5 GbE RJ45 (PoE) 1x Tri-Color LED 2x USIM Socket (4FF) Reset Button

BASIC SOFTWARE FEATURES	
Configuration	WebGUI / ATRACS
FOTA	Yes
Firewall	Yes (IP/MAC/Port Filter, DMZ)
Auto/Manual APN	Yes
TR069	Optional
SIM Management	Yes
IPv4v6 Dual Stack	Yes
Language	English (Others can be customized)

MECHANICAL INFORMATION	
Dimension	293(L)*207(W)*147(H)mm
Weight	< 1Kg

ENVIRONMENTAL SPECIFICATIONS	
Operation Temp	-20 ~ 60°C / -4°F ~ 140°F
Storage Temp	-40 ~ 85°C / -40°F ~ 185°F
Operation Humidity	5% ~ 95% (Non-Condensing)






  

PACKAGE CONTENTS	
PW550	x 1
Power adaptor	x 1
PoE Injector	x 1
Quick-Start Guide	x 1
Mount Fixtures	x 1

BASIC HARDWARE FEATURES	
RF Transmit Power	n41/n77/n78/B41: Class 2 (26dBm) Rest bands: Class 3 (23dBm+/-2dBm)
Receiver Sensitivity	Complies to 3GPP Standards
Antennas	Omni-directional Antennas
Power Supply	24V passive PoE
Ethernet/LAN	10/100/1000/2500 auto adaptive port

DEVICE CERTS AND REGULATORY				
				

Model No.	Region	Description
PW550-NA	North America	<b>5G NR:</b> n2/n5/n7/n12/n14/n25/n30/n41/n48/n66/n71/n77/n78 <b>FDD-LTE:</b> B2/B4/B5/B7/B12/B13/B14/B17/B25/B26/B29/B30/B66/B71 <b>TDD-LTE:</b> B41/B48 <b>LTE-LAA:</b> B46 <b>3G/WCDMA:</b> B2/B4/B5



**WebGUI**  
Easier Configuration



**5G NR/4G-LTE**



**High Data Speed**  
4.67Gbps DL / 1.25Gbps UL



**Dual SIM**



**MIMO**



**LED Indicator**




**Gigabit port**  
Passive PoE

# PW550 DESCRIPTION

5G Outdoor CPE Adapter

## Residential or Commercial Facility

Outdoor CPE for the best 5G signal



REMOTE  
MANAGEMENT  
SOFTWARE  
SUPPORT

A•TRACS™

- Dashboard overview ✓
- Network status ✓
- Device configuration ✓
- Group management ✓
- Critical status alert ✓
- Multiple layer account control ✓

## Built from the ground up from the mouth of the customer!

ATRACS was designed using the “Best of Breed” concept for the most utilized features in a remote management software solution.

SaaS platform provides easy access from any laptop with all the security of AWS Cloud services to ATEL devices for 24/7 remote management and monitoring.

Supporting up to 25 users (Admin, Manager, and Viewers) with unlimited devices.


For support information: [support@atel-usa.com](mailto:support@atel-usa.com)

Visit our website: [www.atel-usa.com](http://www.atel-usa.com)

**A TEL**®  
PASSION FOR INNOVATION

# PW550 MODEL DEFINITION

## Pole Mount Installation



### LED indicators


- Green - Good Signal
- Blue - Normal Signal
- Red - Weak Signal




## PoE Cat 6 RJ45 Ethernet Port



## Dual SIM Support




## Mounting Hardware



- Included in Box Contents:
- A.) Power Supply
  - B.) PoE Injector
  - C.) Pole Mounting Bracket
  - D.) Ethernet Cable

LED Indicator

## Gigabit PoE



DC 12V PoE LAN

	PASSION FOR INNOVATION					
	 MOBILE BROADBAND	 FIXED WIRELESS ACCESS ROUTERS	 IOT DEVICES, MDM	 GPS TRACKERS	 AUTOMOTIVE TELEMATICS	 SMART DEVICES



www.ATEL-USA.COM